

# GRUPO MOTOR ELECTRONICO

## CARACTERISTICAS TECNICAS

GRUPO MOTOR ELECTRONICO 4.0E

GRUPO MOTOR ELECTRONICO 5.5E

GRUPO MOTOR ELECTRONICO 7.5E


| REFERENCIA                 |                       | ST0700010E-SC | ST0700011E-SC | ST0700012E-SC |
|----------------------------|-----------------------|---------------|---------------|---------------|
| NUMERO DE USUARIOS         |                       | 2             | 3             | 4             |
| SUMINISTRO ELECTRICO       | (V/Hz)                | 380/50-60     | 380/50-60     | 380/50-60     |
| POTENCIA                   | (kW)                  | 4(0.5-4.6)    | 5.5(1.8-6.3)  | 7.5(2.5-8.7)  |
| CONSUMO EN FUNCIONAMIENTO  | (A)                   | 11-19         | 13-23         | 17-29         |
| REVOLUCIONES MOTOR         | (RPM)                 | 3500          | 3500          | 3500          |
| DEPRESION MAXIMA           | (mm/H <sub>2</sub> O) | 2800          | 2800          | 2900          |
| CAUDAL MAXIMO              | (m <sup>3</sup> /h)   | 499           | 650           | 800           |
| INVERTER                   |                       | SI            | SI            | SI            |
| NIVEL SONORO               | (dB)                  | <75           | <75           | <75           |
| ALTURA (MEDIDA A)          | (mm)                  | 730           | 730           | 900           |
| ANCHO (MEDIDA B)           | (mm)                  | 550           | 550           | 600           |
| PROFUNDIDAD (MEDIDA C)     | (mm)                  | 850           | 850           | 900           |
| Ø ENTRADA POLVO (MEDIDA D) | (mm)                  | 63            | 80            | 100           |
| Ø SALIDA AIRE (MEDIDA E)   | (mm)                  | 63            | 80            | 100           |
| PESO                       | (kg)                  | 100           | 130           | 148           |




ENTRADA DE AIRE

SALIDA DE AIRE


VISTA FRONTAL



VISTA LATERAL



VISTA SUPERIOR




# GRUPO MOTOR 9.0E CONTROL ELECT.




## CARACTERISTICAS TECNICAS

|  |                      |  |
|--|----------------------|--|
| REFERENCIA                             | ST0700013E-SC        |  |
| NUMERO DE USUARIOS                     | 5                    |  |
| ALIMENTACION ELECTRICA (V/Hz)          | 3~380/50-60 (3P+N+T) |  |
| POTENCIA (kW)                          | 9(9.2-10.6)          |  |
| CONSUMO ELECTRICO (A)                  | 21-35                |  |
| VELOCIDAD GIRO MOTOR (RPM)             | 3500                 |  |
| MAXIMA DEPRESION (mm/H <sub>2</sub> O) | 3500                 |  |
| MAXIMO CAUDAL (m <sup>3</sup> /h)      | 944                  |  |
| INVERTER                               | SI                   |  |
| NIVEL SONORO (dB)                      | <75                  |  |
| ALTURA (DIMENSION A) (mm)              | 900                  |  |
| ANCHO (DIMENSION B) (mm)               | 600                  |  |
| PROFUNDO (DIMENSION C) (mm)            | 900                  |  |
| Ø ENTRADA (DIMENSION D) (mm)           | 100                  |  |
| Ø SALIDA (DIMENSION E) (mm)            | 100                  |  |
| PESO (kg)                              | 165                  |  |


FRONT VIEW



SIDE VIEW



VIEW FROM ABOVE




# GRUPO MOTOR 11.0E CONTROL ELECT.




## CARACTERISTICAS TECNICAS

|  |                      |  |
|--|----------------------|--|
| REFERENCIA                             | ST0700014E-SC        |  |
| NUMERO DE USUARIOS                     | 6                    |  |
| ALIMENTACION ELECTRICA (V/Hz)          | 3~380/50-60 (3P+N+T) |  |
| POTENCIA (kW)                          | 11(11.0-12.7)        |  |
| CONSUMO ELECTRICICO (A)                | 25-41                |  |
| VELOCIDAD GIRO MOTOR (RPM)             | 3500                 |  |
| MAXIMA DEPRESION (mm/H <sub>2</sub> O) | 3000                 |  |
| MAXIMO CAUDAL (m <sup>3</sup> /h)      | 1800                 |  |
| INVERTER                               | SI                   |  |
| NIVEL SONORO (dB)                      | <80                  |  |
| ALTURA (DIMENSION A) (mm)              | 900                  |  |
| ANCHO (DIMENSION B) (mm)               | 600                  |  |
| PROFUNDO (DIMENSION C) (mm)            | 900                  |  |
| Ø ENTRADA (DIMENSION D) (mm)           | 100                  |  |
| Ø SALIDA (DIMENSION E) (mm)            | 100                  |  |
| PESO (kg)                              | 192                  |  |

FRONT VIEW



SIDE VIEW



VIEW FROM ABOVE

